


# Standard Corrected Data

AJO286,

AJO286



SuperFlow WinDyrt<sup>TM</sup> V

01/07/16

14:43:55

## SuperFlow Corporation

3512 N. Teton  
Colorado Springs, CO 80907  
Phone: (719) 471-1746  
FAX: (719) 471-1490

"Standard Corrected Data" from test AJO286.SFD

## Test Information:

File name: AJO286.SFD (US901E.cta)

Data page: Standard Corrected Data - 37 lines total

Tested on: Jan 7, 2016

## Test Description:

EAGLE RACING

05.01.2016

Mopar 273 CID

Polltoaline : E98

Syltlys : 35

## Specifications:

EngBor 3.625 inches, EngCyl 4 cycles, EngCyl 8 number, EngStr 3.310 inches, FuelSG 0.750 ratio, Inltng 15 inches, Strtst 1 718 second, VapPrs 0.50 InHg

Engspd	STPTrq	STPPwr	Oil P	FUA+B	BSFC	AirTmp	OilOut	WtrOut
1800**	212.9	73.0	71.1	40.9	0.559	42	0	141
1900	219.2	79.3	71.1	44.3	0.557	42	0	140
2000	224.7	85.6	71.2	46.4	0.541	42	0	140
2100	231.8	92.7	71.4	49.5	0.533	42	0	141
2200	236.2	98.9	71.6	51.9	0.523	42	0	141
2300	237.9	104.2	71.8	54.5	0.522	42	0	141
2400	239.5	109.4	72.1	56.8	0.518	42	0	141
2500	240.2	114.3	72.4	58.5	0.510	42	0	141
2600	241.9	119.8	72.8	61.3	0.511	42	0	141
2700	244.6	125.7	73.3	63.9	0.507	42	0	141
2800	249.0	132.7	73.9	67.7	0.509	42	0	141
2900	249.5	137.8	74.2	69.4	0.503	42	0	141
3000	251.5	143.6	74.9	73.6	0.511	42	0	141
3100	252.3	148.9	75.5	77.2	0.517	41	0	141
3200	255.1	155.4	76.1	80.0	0.513	41	0	140
3300	256.7	161.3	76.6	81.7	0.505	41	0	140
3400	258.6	167.4	77.1	84.2	0.502	42	0	141
3500	260.2	173.4	77.6	88.1	0.507	42	0	141
3600	263.1	180.4	78.3	93.8	0.518	41	0	141
3700	263.8	185.9	78.8	97.6	0.524	42	0	141
3800	263.5	190.7	79.2	100.8	0.527	42	0	141
3900	262.8	195.2	79.5	102.8	0.525	42	0	142
4000	263.7	200.9	80.2	106.1	0.527	43	0	141
4100	263.6	205.8	80.6	108.4	0.526	43	0	141
4200	262.6	210.0	81.1	110.3	0.524	43	0	141
4300	261.1	213.8	81.4	111.7	0.522	43	0	141
4400	260.3	218.0	81.6	112.6	0.516	44	0	141
4500	259.0	221.9	81.8	113.9	0.513	44	0	141
4600	258.7	226.5	82.2	116.7	0.515	44	0	141
4700	257.4	230.3	82.5	118.6	0.515	44	0	141
4800	257.5	235.3	83.1	122.0	0.518	44	0	141
4900**	255.8	238.6	83.7	125.8	0.527	44	0	141
5000	252.4	240.2	84.3	128.5	0.535	44	0	141
5100	247.8	240.6	84.9	131.8	0.547	43	0	141
5200	244.0	241.5	85.4	134.5	0.556	43	0	141
5300	240.7	242.9	85.8	136.6	0.562	43	0	141
5400	235.7	242.3	86.3	139.9	0.577	43	0	140
Avg**	250.5	161.8	76.8	84.1	0.520	42	0	141
Min**	212.9	73.0	71.1	40.9	0.502	41	0	140
Max**	263.8	238.6	83.7	125.8	0.559	44	0	142